



GUANGZHOU HONGLING

WEST KITCHEN EQUIPMENT

西厨设备



Professional commercial kitchen equipment



Official Website



Made-in-China.com



Alibaba.com

联系方式: 0086 20 36366335

公司地址: 广州市白云区联和鹤龙一路32号

Address: NO.32, Helong Road, Lianhe, Baiyun District, Guangzhou, China. 510425 电子邮箱: gz-hongling@hotmail.com

公司官网: www.gz-hldr.com

工厂地址: 广州市白云区人和镇蚌湖管理区中心村7街29号
广州红菱电热设备有限公司人和分公司

广州红菱电热设备有限公司

GUANGZHOU HONGLING ELECTRIC HEATING EQUIPMENT CO., LTD.

广州市广菱进出口有限公司

GUANGZHOU GUANGLING IMPORT AND EXPORT CO., LTD.

vol: 2020

公司简介 | Company Introduction

广州红菱电热设备有限公司，于1979年开始生产厨房设备，公司拥有超过40年的生产制造技术，形成了产品研发，设计，生产，销售于一体的管理体系并在不断完善中。公司始终坚持质量第一，客户至上的生产和服务宗旨，成立由高级工程师，工程师，技师等专业人员组成的研发团队，现有公司员工260多人，车间面积2万平方米，拥有强大的OEM/ODM能力。





Guangzhou Hongling Heating Equipment Co., Ltd was set up in 1979, the company has more than 40 years experiences of manufacturing technology and formed a management system integrating R & D, design, production and sales, in the continuous improvement. The company always insist the business tenet of "Quality First and Customer-Oriented". The team establishment of senior engineers, engineers, technicians and other professionals of the R & D staff, the company occupies 260 employees and 20,000 square meters workshop, has strong OEM / ODM capabilities.

目录

PRODUCT CONTENTS

CHUMEI RUI WEST KITCHEN EQUIPMENT

- 炸炉设备系列 ----- 01
Deep Fryer series
- 扒炉设备系列 ----- 09
Griddles series
- 保温设备系列 ----- 17
Food display warmer series
- 蒸煮设备系列 ----- 20
Cooking equipment series
- 小吃烤炉设备系列 ----- 25
Snack & Grill equipment series
- 炸鸡汉堡设备系列 ----- 34
Fried chicken & hamburger equipment series





DEEP FRYER SERIES



DEEP FRYER SERIES



HL-6L ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer

Model	HL-6L
Dimension (MM)	285x450x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power (KW)	2.5
Voltage (V)	220
Weight (KG)	3.4



HL-6L2 ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer

Model	HL-6L2
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power (KW)	2.5+2.5
Voltage (V)	220
Weight (KG)	6.8



HL-6LA ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer

Model	HL-6LA
Dimension (MM)	275X420X300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power (KW)	2.5
Voltage (V)	220
Weight (KG)	3.7



HL-6LA2 ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer

Model	HL-6LA2
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power (KW)	2.5+2.5
Voltage (V)	220
Weight (KG)	6.8



DEEP FRYER SERIES



HL-6LD ELECTRIC FRYER

1-Tank 1-Basket 6 Liter Electric Fryer with timer

Model	HL-6LD
Dimension (MM)	275x420x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power (KW)	2.5
Voltage (V)	220
Weight (KG)	3.8

HL-6LD2 ELECTRIC FRYER

2-Tank 2-Basket 6 Liter Electric Fryer with timer

Model	HL-6LD2
Dimension (MM)	550x420x300
Package size (CM)	58x44x32
Temperature (°C)	50-200°C
Power (KW)	2.5+2.5
Voltage (V)	220
Weight (KG)	7

HL-8L ELECTRIC FRYER

1-Tank 1-Basket 8 Liter Electric Fryer

Model	HL-8L
Dimension (MM)	300x560x400
Package size (CM)	34x65x45
Temperature (°C)	50-200°C
Power (KW)	2.8
Voltage (V)	220
Weight (KG)	7.3

HL-8L2 ELECTRIC FRYER

2-Tank 2-Basket 8 Liter Electric Fryer

Model	HL-8L2
Dimension (MM)	600x560x400
Package size (CM)	62x65x45
Temperature (°C)	50-200°C
Power (KW)	2.8+2.8
Voltage (V)	220
Weight (KG)	11.6



HL-12L ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-12
Dimension (MM)	340x640x330
Package size (CM)	66x37x34
Temperature (°C)	50-200°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	5.2

HL-12LA ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-12LA
Dimension (MM)	350x650x290
Package size (CM)	66x37x34
Temperature (°C)	50-200°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	6

HL-12LB ELECTRIC FRYER

1-Tank 1-Basket 12 Liter Electric Fryer

Model	HL-12LB
Dimension (MM)	330x600x430
Package size (CM)	65x36x45
Temperature (°C)	50-200°C
Power (KW)	4.5
Voltage (V)	220
Weight (KG)	10

HL-12LB2 ELECTRIC FRYER

2-Tank 2-Basket 12 Liter Electric Fryer

Model	HL-12LB2
Dimension (MM)	650x600x430
Package size (CM)	68x65x45
Temperature (°C)	50-200°C
Power (KW)	4.5+4.5
Voltage (V)	220
Weight (KG)	17.6



HL-20L ELECTRIC FRYER

1-Tank 1-Basket 20 Liter Electric Fryer with oil tap

Model	HL-20L
Dimension(MM)	530x590x390
Package size (CM)	56x62x41
Temperature (°C)	50-200°C
Power (KW)	5
Voltage (V)	220
Weight (KG)	14



HL-30L ELECTRIC FRYER

1-Tank 1-Basket 30 Liter Electric Fryer with oil tap

Model	HL-30L
Dimension (MM)	580x610x410
Package size (CM)	61x64x43
Temperature (°C)	50-200°C
Power (KW)	6
Voltage (V)	220
Weight (KG)	16.1



HL-17L ELECTRIC FRYER

1-Tank 2-Basket 17 Liter Electric Fryer with oil tap

Model	HL-17L
Dimension (MM)	550x510x410
Package size (CM)	62x55x45
Temperature (°C)	50-200°C
Power (KW)	4
Voltage (V)	220
Weight (KG)	13



HL-10L ELECTRIC FRYER

1-Tank 1-Basket 10 Liter Electric Fryer

Model	HL-10L
Dimension (MM)	480x310x310
Package size (CM)	51x33x33
Temperature (°C)	50-200°C
Power (KW)	3.25
Voltage (V)	220
Weight (KG)	7



HL-13LV ELECTRIC FRYER

1-Tank 1-Basket 13 Liter Electric Fryer with oil tap

Model	HL-13LV
Dimension (MM)	310x480x360
Package size (CM)	35x56x43
Temperature (°C)	50-200°C
Power (KW)	3.25
Voltage (V)	220
Weight (KG)	7.5



HL-13LV2 ELECTRIC FRYER

2-Tank 2-Basket 13 Liter Electric Fryer with oil tap

Model	HL-13LV2
Dimension (MM)	630x480x360
Package size (CM)	67x56x43
Temperature (°C)	50-200°C
Power (KW)	3.25+3.25
Voltage (V)	220
Weight (KG)	14.7



HL-8LA ELECTRIC FRYER

1-Tank 1-Basket 8 Liter Electric Fryer

Model	HL-8LA
Dimension (MM)	270x420x370
Package size (CM)	44x29x35
Temperature (°C)	50-200°C
Power (KW)	3.25
Voltage (V)	220
Weight (KG)	5.5



HL-8LA2 ELECTRIC FRYER

2-Tank 2-Basket 8 Liter Electric Fryer

Model	HL-8LA2
Dimension (MM)	270x540x370
Package size (CM)	56x29x35
Temperature (°C)	50-200°C
Power (KW)	3.25+3.25
Voltage (V)	220
Weight (KG)	10



HL-11L ELECTRIC FRYER

1-Tank 1-Basket 11 Liter Electric Fryer

Model	HL-11L
Dimension (MM)	470x330x400
Package size (CM)	50x37x37
Temperature (°C)	50-200°C
Power (KW)	3.5
Voltage (V)	220
Weight (KG)	7.5



HL-11L2 ELECTRIC FRYER

2-Tank 2-Basket 11 Liter Electric Fryer

Model	HL-11L2
Dimension (MM)	450x660x400
Package size (CM)	47x68x37
Temperature (°C)	50-200°C
Power (KW)	3.5 + 3.5
Voltage (V)	220
Weight (KG)	14.5



HL-40L ELECTRIC FRYER

1-Tank 1-Basket 40 Liter Vertical Electric Fryer

Model	HL-40L
Dimension (MM)	550x600x1020
Package size (CM)	60x65x110
Temperature (°C)	50-200°C
Power (KW)	11
Voltage (V)	220
Weight (KG)	-



HL-40LG GAS FRYER

1-Tank 1-Basket 40 Liter Vertical Gas Fryer

Model	HL-40LG
Dimension (MM)	550x600x1020
Package size (CM)	60x65x110
Temperature (°C)	-
Power (KW)	2800P
Voltage (V)	LPG
Weight (KG)	-



HL-6LG GAS FRYER

1-Tank 1-Basket 6 Liter Gas Fryer

Model	HL-6LG
Dimension (MM)	500x310x440
Package size (CM)	54x35x48
Temperature (°C)	-
Power (KW)	2800P
Voltage (V)	液化气
Weight (KG)	6.8



HL-6LG2 GAS FRYER

2-Tank 2-Basket 6 Liter Gas Fryer

Model	HL-6LG2
Dimension (MM)	500x560x440
Package size (CM)	61x54x48
Temperature (°C)	-
Power (KW)	2800P
Voltage (V)	液化气
Weight (KG)	13.5



HL-25L ELECTRIC FRYER

1-Tank 2-Basket 25 Liter Vertical Electric Fryer

Model	HL-25L
Dimension (MM)	730x400x1060
Package size (CM)	77x44x109
Temperature (°C)	50-200°C
Power (KW)	9
Voltage (V)	220
Weight (KG)	39



HL-25LG GAS FRYER

1-Tank 2-Basket 25 Liter Vertical Electric Fryer

Model	HL-25LG
Dimension (MM)	760x400x1060
Package size (CM)	77x44x109
Temperature (°C)	-
Power (KW)	2800P
Voltage (V)	LPG
Weight (KG)	47



GRIDDLE SERIES

GRIDDLES SERIES



HL-818 HL-818A Electric Griddle

Electric Griddle

Model	HL-818	HL-818A
Dimension (MM)	550x400x210	540x370x210
Package size (CM)	64x49x27	64x49x27
Temperature (°C)	50-300°C	50-300°C
Power (KW)	3	3
Voltage (V)	220	220
Weight (KG)	17	15



HL-718 HL-788 Gas Griddle

Gas Griddle

Model	HL-718	HL-788
Dimension (MM)	550x460x340	540x430x340
Package size (CM)	58x52x34	58x48x34
Temperature (°C)	-	-
Power (KW)	2800P	2800P
Gas type	LPG	LPG
Weight (KG)	18	15



HL-820 Electric Griddle

Electric Griddle

Model	HL-820
Dimension (MM)	730x460x210
Package size (CM)	76x59x22
Temperature (°C)	50-300°C
Power (KW)	4.4
Voltage (V)	220
Weight (KG)	25.5



HL-822 Electric Griddle

half-grooved Electric Griddle

Model	HL-822
Dimension (MM)	730x460x210
Package size (CM)	76x59x22
Temperature (°C)	50-300°C
Power (KW)	4.4
Voltage (V)	220
Weight (KG)	25.5



HL-720 Gas Griddle

Gas Griddle

Model	HL-720
Dimension (MM)	730x530x340
Package size (CM)	77x56x34
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	24



HL-722 Gas Griddle

half-grooved Gas Griddle

Model	HL-722
Dimension (MM)	730x530x340
Package size (CM)	77x56x34
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	24.5



HL-818 Electric Griddle

Electric griddle full flat

Model	HL-818
Dimension (MM)	550x430x250
Package size (CM)	60x53x30
Temperature (°C)	50-300°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	17.5



HL-820 Electric Griddle

Electric griddle full flat

Model	HL-820
Dimension (MM)	730x490x250
Package size (CM)	80x59x30
Temperature (°C)	50-300°C
Power (KW)	4.4
Voltage (V)	220
Weight (KG)	26



HL-730 Gas Griddle

Gas Griddle

Model	HL-730
Dimension (MM)	730x530x340
Package size (CM)	77x56x34
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	25



HL-830 Souffle Machine

Souffle Machine

Model	HL-830
Dimension (MM)	410x360x180
Package size (CM)	45x39x23
Temperature (°C)	50-300°C
Power (KW)	1.3
Voltage (V)	220
Weight (KG)	14



HL-36 Electric Griddle

Electric Griddle

Model	HL-36
Dimension (MM)	900x630x400
Package size (CM)	93x65x29
Temperature (°C)	50-200°C
Power (KW)	9
Voltage (V)	220
Weight (KG)	76



HL-36G Gas Griddle

Gas Griddle

Model	HL-36G
Dimension (MM)	900x700x460
Package size (CM)	93x72x36
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	75



HL-48 Electric Griddle

Electric Griddle

Model	HL-48
Dimension (MM)	1200x630x400
Package size (CM)	123x65x29
Temperature (°C)	50-200°C
Power (KW)	12
Voltage (V)	220
Weight (KG)	100



HL-48G Gas Griddle

Gas Griddle

Model	HL-48G
Dimension (MM)	1200x700x460
Package size (CM)	123x70x36
Temperature (°C)	-
Gas pressure	2800P
Gas type	液化气
Weight (KG)	97



HL-01 Crepe Maker

Electric 1-Plate Crepe Maker

Model	HL-01
Dimension (MM)	480x450x240
Package size (CM)	53x50x26
Temperature (°C)	50-300°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	14.5



HL-01C Crepe Maker

Gas 1-Plate Crepe Maker

Model	HL-01C
Dimension (MM)	480x450x240
Package size (CM)	53x50x26
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	13



HL-1200 Electric Teppanyaki

Veitical Electric Teppanyaki

Model	HL-1200
Dimension (MM)	1200x800x800
Package size (CM)	125x85x85
Temperature (°C)	50-200°C
Power (KW)	8
Voltage (V)	220
Weight (KG)	165



HL-1200 Gas Teppanyaki

Veitical Gas Teppanyaki

Model	HL-1200G
Dimension (MM)	1200x800x800
Package size (CM)	125x85x85
Temperature (°C)	-
Power (KW)	2800P
Voltage (V)	液化气
Weight (KG)	165



HL-02 Crepe Maker

Electric 2-Plate Crepe Maker

Model	HL-02
Dimension (MM)	880x500x240
Package size (CM)	95x53x26
Temperature (°C)	50-300°C
Power (KW)	3+3
Voltage (V)	220
Weight (KG)	28



HL-02C Crepe Maker

Gas 2-Plate Crepe Maker

Model	HL-02C
Dimension (MM)	880x500x240
Package size (CM)	95x53x26
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	17



HL-811A Electric Contact Grill

Electric Contact Grill

Model	HL-811A
Dimension (MM)	370x300x240
Package size (CM)	45x37x27
Temperature (°C)	50-300°C
Power (KW)	1.8
Voltage (V)	220
Weight (KG)	12.5



HL-812A Electric Contact Grill

Electric Contact Grill

Model	HL-812A
Dimension (MM)	430x370x240
Package size (CM)	49x45x27
Temperature (°C)	50-300°C
Power (KW)	2.2
Voltage (V)	220
Weight (KG)	16.5



HL-811C Electric Contact Grill

Electric Contact Grill (flat)

Model	HL-811C
Dimension (MM)	370x300x240
Package size (CM)	45x37x27
Temperature (°C)	50-300°C
Power (KW)	1.8
Voltage (V)	220
Weight (KG)	12.5



HL-812B Electric Contact Grill

Electric Contact Grill

Model	HL-812B
Dimension (MM)	430x370x240
Package size (CM)	49x45x27
Temperature (°C)	50-300°C
Power (KW)	2.2
Voltage (V)	220
Weight (KG)	16.5



HL-813A Electric Contact Grill

Double Electric Contact Grill

Model	HL-813A
Dimension (MM)	560x370x240
Package size (CM)	65x45x27
Temperature (°C)	50-300°C
Power (KW)	1.8+1.8
Voltage (V)	220
Weight (KG)	23



HL-813E Electric Contact Grill

Double Electric Contact Grill (full grooved)

Model	HL-813E
Dimension (MM)	820x370x240
Package size (CM)	88x45x27
Temperature (°C)	50-300°C
Power (KW)	2.2+2.2
Voltage (V)	220
Weight (KG)	32



HL-813B Electric Contact Grill

Double Electric Contact Grill (full flat)

Model	HL-813B
Dimension (MM)	560x370x240
Package size (CM)	65x45x27
Temperature (°C)	50-300°C
Power (KW)	1.8+1.8
Voltage (V)	220
Weight (KG)	23



HL-810 Fryer+Griddle

electric fryer + electric griddle

Model	HL-810
Dimension (MM)	730x500x310
Package size (CM)	76x53x35
Temperature (°C)	50-300°C
Power (KW)	4.4
Voltage (V)	220
Weight (KG)	23

BAIN MARIE SERIES



BAIN MARIE SERIES



HL-2V Bain Marie

2-head Electric Bain Marie

Model	HL-2V
Dimension (MM)	575x365x265
Package size (CM)	61x41x30
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	8.2



HL-3V Bain Marie

3-head Electric Bain Marie

Model	HL-3V
Dimension (MM)	575x365x265
Package size (CM)	61x41x30
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	9



HL-4V Bain Marie

4-head Electric Bain Marie

Model	HL-4V
Dimension (MM)	700x570x265
Package size (CM)	74x63x30
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	13.5



HL-6V Bain Marie

6-head Electric Bain Marie

Model	HL-6V
Dimension (MM)	700x575x265
Package size (CM)	74x62x30
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	14



HL-3P Bain Marie

3-head Electric Bain Marie with glass

Model	HL-3P
Dimension (MM)	900x350x310
Package size (CM)	94x38x35
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	-



HL-4P Bain Marie

4-head Electric Bain Marie with glass

Model	HL-4P
Dimension (MM)	1200x350x310
Package size (CM)	124x38x35
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	-



HL-5P Bain Marie

5-head Electric Bain Marie with glass

Model	HL-5P
Dimension (MM)	1500x350x310
Package size (CM)	154x38x35
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	-

COOKING EQUIPMENT SERIES





HL-10 oden cooking machine

1-tank wood electric oden cooking machine

型号 Model	HL-10
Dimension (MM)	370x310x290
Package size (CM)	42x35x33
Temperature (°C)	30-110°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	5.4



HL-20 oden cooking machine

2-tank wood electric oden cooking machine

Model	HL-20
Dimension (MM)	580x300x290
Package size (CM)	62x42x33
Temperature (°C)	30-110°C
Power (KW)	1.5+1.5
Voltage (V)	220
Weight (KG)	9.3



HL-EN4 Pasta Cooker

Counter Top 4-hole Electric Pasta Cooker

Model	HL-EN4
Dimension (MM)	520x410x320
Package size (CM)	55x43x34
Temperature (°C)	30-110°C
Power (KW)	5
Voltage (V)	220
Weight (KG)	9



HL-EN6 Pasta Cooker

Counter Top 6-hole Electric Pasta Cooker

Model	HL-EN6
Dimension (MM)	520x590x320
Package size (CM)	55x61x34
Temperature (°C)	30-110°C
Power (KW)	7.5
Voltage (V)	220
Weight (KG)	12



HL-500B HL-600B Food display warmer

Food display warmer

型号 Model	HL-500B	HL-600B
Dimension (MM)	400x400x750	500x500x850
Package size (CM)	52x46x81	62x56x91
Temperature (°C)	30-110°C	30-110°C
Power (KW)	1.5	1.5+1.5
Voltage (V)	220	220
Weight (KG)	24	28



HL-EN2 Pasta Cooker

Counter Top 2-hole Electric Pasta Cooker

Model	HL-EN2
Dimension (MM)	520x240x320
Package size (CM)	55x26x34
Temperature (°C)	30-110°C
Power (KW)	2.5
Voltage (V)	220
Weight (KG)	5.4



HL-774 Pasta Cooker

Vertical 4-hole Gas Pasta Cooker

Model	HL-774
Dimension (MM)	700x480x970
Package size (CM)	73x51x99
Temperature (°C)	30-110°C
Gas pressure	2800P
Gas type	LPG
Weight (KG)	20



HL-874 Pasta Cooker

Vertical 4-hole Electric Pasta Cooker

Model	HL-874
Dimension (MM)	700x480x970
Package size (CM)	73x51x99
Temperature (°C)	30-110°C
Power (KW)	5
Voltage (V)	220
Weight (KG)	21



HL-776 Pasta Cooker

Vertical 6-hole Gas Pasta Cooker

Model	HL-776
Dimension (MM)	700x600x970
Package size (CM)	73x63x99
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	23



HL-876 Pasta Cooker

Vertical 6-hole Electric Pasta Cooker

Model	HL-876
Dimension (MM)	700x600x970
Package size (CM)	73x63x99
Temperature (°C)	30-110°C
Power (KW)	7.5
Voltage (V)	220
Weight (KG)	22



HL-18E oden cooking machine

1-tank electric oden cooking machine

Model	HL-18E
Dimension (MM)	340x640x330
Package size (CM)	66x37x34
Temperature (°C)	50-200°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	5.2



HL-19E oden cooking machine

1-tank electric oden cooking machine

Model	HL-19E
Dimension (MM)	285x450x300
Package size (CM)	45x30x32
Temperature (°C)	50-200°C
Power (KW)	2.5
Voltage (V)	220
Weight (KG)	3.4



HL-4-1 pasta cooker with bain marie

4-hole pasta cooker with bain marie

Model	HL-4-1
Dimension (MM)	990x700x970
Package size (CM)	102x73x99
Temperature (°C)	30-110°C
Power (KW)	6.5
Voltage (V)	220
Weight (KG)	28



HL-6-1 pasta cooker with bain marie

6-hole pasta cooker with bain marie

Model	HL-6-1
Dimension (MM)	1200x700x970
Package size (CM)	123x73x99
Temperature (°C)	30-110°C
Power (KW)	9
Voltage (V)	220
Weight (KG)	32



HL-71 oden cooking machine

1-tank gas oden cooking machine

Model	HL-71
Dimension (MM)	500x310x440
Package size (CM)	54x35x48
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	6.8



HL-72 oden cooking machine

2-tank gas oden cooking machine

Model	HL-72
Dimension (MM)	500x560x440
Package size (CM)	61x54x48
Temperature (°C)	-
Gas pressure	2800P
Gas type	LPG
Weight (KG)	13.5

SNACK BARBECUE EQUIPMENT SERIES



SNACK & GRILL EQUIPMENT SERIES



HL-76A Fishball Grill

1-Head Electric Fishball Grill

Model	HL-76A
Dimension (MM)	255x455x180
Package size (CM)	54x31x23
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	3.7



HL-767 Fishball Grill

2-Head Electric Fishball Grill

Model	HL-767
Dimension (MM)	450x455x200
Package size (CM)	54x31x23
Temperature (°C)	50-300°C
Power (KW)	4
Voltage (V)	220
Weight (KG)	6.6



HL-77A Fishball Grill

1-Head Gas Fishball Grill

Model	HL-77A
Dimension (MM)	255x455x180
Package size (CM)	54x31x23
Temperature (°C)	-
Gas type	LPG
Gas pressure	2800P
Weight (KG)	3.7



HL-777 Fishball Grill

2-Head Gas Fishball Grill

Model	HL-777
Dimension (MM)	465x475x210
Package size (CM)	53x52x23
Temperature (°C)	-
Gas type	LPG
Gas pressure	2800P
Weight (KG)	6.1



HL-1F Waffle Baker

1-Plate Heart-shape Waffle Baker

Model	HL-1F
Dimension (MM)	510X350X250
Package size (CM)	53X41X30
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	11.5



HL-QQ-11 egg waffle maker

egg waffle maker

Model	HL-QQ-11
Dimension (MM)	220x360x280
Package size (CM)	49x30x32
Temperature (°C)	50-300°C
Power (KW)	1.4
Voltage (V)	220
Weight (KG)	5.5



HL-25A Crispy Machine

25-hole Crispy Machine

Model	HL-25A
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power (KW)	1.7
Voltage (V)	220
Weight (KG)	12



HL-50A Crispy Machine

50-hole Crispy Machine

Model	HL-50A
Dimension (MM)	600x300x190
Package size (CM)	65x38x22
Temperature (°C)	50-300°C
Power (KW)	1.7
Voltage (V)	220
Weight (KG)	10



HL-1E Waffle Baker

1-Plate Waffle Baker

Model	HL-1E
Dimension (MM)	510x350x250
Package size (CM)	53x41x30
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	11.3



HL-1D Cone Baker

1-Plate Cone Baker

Model	HL-1D
Dimension (MM)	250x350x250
Package size (CM)	39x27x30
Temperature (°C)	50-300°C
Power (KW)	1
Voltage (V)	220
Weight (KG)	5.8



HL-208D Waffle Maker

Lolly Waffle Maker

Model	HL-208D
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	11



HL-5R Waffle Maker

5-Stick Hot Dog Waffle Maker

Model	HL-5R
Dimension (MM)	335x310x240
Package size (CM)	41x38x32
Temperature (°C)	50-300°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	7.1



HL-28D egg tart maker

egg tart maker

Model	HL-28D
Dimension (MM)	380x370x240
Package size (CM)	44x41x26
Temperature (°C)	50-300°C
Power (KW)	1.6
Voltage (V)	220
Weight (KG)	12



HL-25B Crispy Machine

25-hole Crispy Machine (up and down)

Model	HL-25B
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power (KW)	1.7
Voltage (V)	220
Weight (KG)	10



HL-05B Crispy Machine

Plum Crispy Machine

Model	HL-05B
Dimension (MM)	330x370x240
Package size (CM)	41x38x26
Temperature (°C)	50-300°C
Power (KW)	1.6
Voltage (V)	220
Weight (KG)	9



HL-2E Waffle Baker

2-Plate Waffle Baker

Model	HL-2E
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power (KW)	1.2+1.2
Voltage (V)	220
Weight (KG)	10



HL-10A-D Waffle Baker

10-grid Waffle Baker

Model	HL-10A-D
Dimension (MM)	380x370x240
Package size (CM)	44x41x26
Temperature (°C)	50-300°C
Power (KW)	1.6
Voltage (V)	220
Weight (KG)	10



HL-4A-D Waffle Baker

4-grid Waffle Baker

Model	HL-4A-D
Dimension (MM)	300x430x240
Package size (CM)	47x35x26
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	11



HL-2W Waffle Baker

2-Plate rotate Waffle Baker

Model	HL-2W
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power (KW)	1.2+1.2
Voltage (V)	220
Weight (KG)	10



HL-204-2 Waffle Baker

2-Plate Heart-shape Waffle Baker

Model	HL-204-2
Dimension (MM)	500x410x280
Package size (CM)	56x45x30
Temperature (°C)	50-300°C
Power (KW)	1.2+1.2
Voltage (V)	220
Weight (KG)	10



SNACK & GRILL EQUIPMENT SERIES



HL-2H Waffle Baker

2-grid Waffle Baker

Model	HL-2H
Dimension (MM)	360x300x270
Package size (CM)	39x33x30
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	9



HL-5T HL-6T Donut Maker

Donut Maker

Model	HL-5T	HL-6T
Dimension (MM)	335x310x240	385x310x240
Package size (CM)	41x38x32	42x40x32
Temperature (°C)	50-300°C	50-300°C
Power (KW)	1.5	1.5
Voltage (V)	220	220
Weight (KG)	7.1	8.4



HL-05C Popcorn Machine)

Electric Popcorn Machine with cart

Model	CMR-05C
Dimension (MM)	740x320x1500
Package size (CM)	79x37x155
Temperature (°C)	-
Power (KW)	1.4
Voltage (V)	220
Weight (KG)	29



HL-08C Popcorn Machine

Electric Popcorn Machine with cart

Model	CMR-08C
Dimension (MM)	740x320x1470
Package size (CM)	79x37x155
Temperature (°C)	-
Power (KW)	1.4
Voltage (V)	220
Weight (KG)	29



HL-802 Popcorn Machine

Electric Popcorn Machine

Model	HL-802
Dimension (MM)	560x410x750
Package size (CM)	59x44x82
Temperature (°C)	-
Power (KW)	1.4
Voltage (V)	220
Weight (KG)	16



HL-803 Popcorn Machine

Electric Popcorn Machine

Model	HL-803
Dimension (MM)	500x360x690
Package size (CM)	54x40x76
Temperature (°C)	-
Power (KW)	1.4
Voltage (V)	220
Weight (KG)	15



HL-EB11 Popcorn Machine

Electric Popcorn Machine with warmer

Model	HL-EB11
Dimension (MM)	900x420x740
Package size (CM)	96x45x78
Temperature (°C)	-
Power (KW)	1.7
Voltage (V)	220
Weight (KG)	31



HL-03M Candy Floss Machine

Electric Candy Floss Machine

Model	HL-03M
Dimension (MM)	440x440x500
Package size (CM)	47x47x53
Temperature (°C)	50-300°C
Power (KW)	1
Voltage (V)	220
Weight (KG)	11



FRIED CHICKEN & HAMBURGER EQUIPMENT SERIES



HL-936 electric salamander

electric salamander

Model	HL-936
Dimension (MM)	610x310x280
Package size (CM)	66x35x31
Temperature (°C)	50-300°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	11

HL-937 electric salamander

electric salamander

Model	HL-937
Dimension (MM)	790x450x490
Package size (CM)	84x49x52
Temperature (°C)	50-300°C
Power (KW)	4
Voltage (V)	220
Weight (KG)	23



HL-90 Shawarma Machine

Electric Shawarma Machine

Model	HL-90
Dimension (MM)	500x650x900
Package size (CM)	54x68x90
Temperature (°C)	50-300°C
Power (KW)	7.8
Voltage (V)	220
Weight (KG)	15

HL-92 Shawarma Machine

Gas Shawarma Machine

Model	HL-92
Dimension (MM)	500x650x1100
Package size (CM)	54x68x113
Temperature (°C)	50-300°C
Gas pressure	2800P
Gas type	LPG
Weight (KG)	15



FRIED CHICKEN & HAMBURGER EQUIPMENT SERIES



HL-2M2 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2M2
Dimension (MM)	700x640x740
Package size (CM)	76x67x73
Temperature (°C)	30-85°C
Power (KW)	0.8
Voltage (V)	220
Weight (KG)	24



HL-2M3 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2M3
Dimension (MM)	1100x640x740
Package size (CM)	113x67x73
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	34



HL-6P Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-6P
Dimension (MM)	1500x770x860
Package size (CM)	153x79x87
Temperature (°C)	30-85°C
Power (KW)	2.4
Voltage (V)	220
Weight (KG)	53



HL-3N1 Food Display Warmer

Trapezoid Food Display Warmer (3 IN 1)

Model	HL-3N1
Dimension (MM)	1500x570x940
Package size (CM)	153x60x97
Temperature (°C)	30-85°C
Power (KW)	2
Voltage (V)	220
Weight (KG)	60



HL-2M4 Food Display Warmer

Hot air Food Display Warmer

Model	HL-2M4
Dimension (MM)	1200x640x740
Package size (CM)	123x67x73
Temperature (°C)	30-85°C
Power (KW)	1.5
Voltage (V)	220
Weight (KG)	37



HL-6PB Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-6PB
Dimension (MM)	1200x770x860
Package size (CM)	123x79x87
Temperature (°C)	30-85°C
Power (KW)	2.4
Voltage (V)	220
Weight (KG)	44



HL-8P Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-8P
Dimension (MM)	1800x770x860
Package size (CM)	183x79x87
Temperature (°C)	30-85°C
Power (KW)	3
Voltage (V)	220
Weight (KG)	70



HL-60-1 Food Display Warmer

Moisturizing Food Display Warmer

Model	HL-60-1
Dimension (MM)	660x437x640
Package size (CM)	69x47x67
Temperature (°C)	30-85°C
Power (KW)	1.8
Voltage (V)	220
Weight (KG)	28



FRIED CHICKEN & HAMBURGER EQUIPMENT SERIES



HL-1P Food Display Warmer

Curved Glass food display warmer

Model	HL-1P
Dimension (MM)	355x425x485
Package size (CM)	39x48x51
Temperature (°C)	30-85°C
Power (KW)	0.85
Voltage (V)	220
Weight (KG)	16



HL-2P-1 Food Display Warmer

Curved Glass food display warmer

Model	HL-2P-1
Dimension (MM)	360x460x620
Package size (CM)	42x48x64
Temperature (°C)	30-85°C
Power (KW)	0.85
Voltage (V)	220
Weight (KG)	11



HL-3P-1 Food Display Warmer

Curved Glass food display warmer

Model	HL-3P-1
Dimension (MM)	960x460x620
Package size (CM)	99x49x65
Temperature (°C)	30-85°C
Power (KW)	1.2
Voltage (V)	220
Weight (KG)	32



HL-VF-6 **HL-VF-8** Chips warmer

Counter Top Potato Chips Display Warmer

Model	HL-VF-6	HL-VF-8
Dimension (MM)	600x700x670	800x700x670
Package size (CM)	74x64x68	74x84x68
Temperature (°C)	-	-
Power (KW)	0.8	0.8
Voltage (V)	220	220
Weight (KG)	24	27



HL-2P Food Display Warmer

Curved Glass food display warmer

Model	HL-2P
Dimension (MM)	665x500x620
Package size (CM)	72x52x64
Temperature (°C)	30-85°C
Power (KW)	0.85
Voltage (V)	220
Weight (KG)	17



HL-580 Food Display Warmer

Food Display Warmer

Model	HL-580
Dimension (MM)	640x360x530
Package size (CM)	67x40x56
Temperature (°C)	30-85°C
Power (KW)	1
Voltage (V)	220
Weight (KG)	31



HL-VF-10 Chips warmer

Pedestal Potato Chips Display Warmerr

Model	HL-VF-10
Dimension (MM)	1000x700x1540
Package size (CM)	103x73x157
Temperature (°C)	-
Power (KW)	1
Voltage (V)	220
Weight (KG)	59



HL-212 **HL-211** hamburger machine

two layer hamburger machine

Model	HL-212	HL-211
Dimension (MM)	390x660x280	390x430x280
Package size (CM)	73x45x35	48x45x27
Temperature (°C)	50-300°C	50-300°C
Power (KW)	2	0.8
Voltage (V)	220	220
Weight (KG)	18	12



FRIED CHICKEN & HAMBURGER EQUIPMENT SERIES



HL-75 Chicken Marinator

Digital Chicken Marinator

Model	HL-75
Dimension (MM)	700x450x1000
Package size (CM)	74x48x103
Temperature (°C)	-
Power (KW)	1.2
Voltage (V)	220
Weight (KG)	23



HL-75A Chicken Marinator

Vacuum Chicken Marinator

Model	HL-75A
Dimension (MM)	700x450x1000
Package size (CM)	74x48x103
Temperature (°C)	-
Power (KW)	1.2
Voltage (V)	220
Weight (KG)	23



HL-1200C HL-1500C Worktable

Worktable with Cup Dispenser and Ice Storage

Model	CMR-1200	CMR-1500
Dimension (MM)	1200x760x800	1500x760x800
Package size (CM)	124x80x82	154x80x82
Temperature (°C)	-	-
Power (KW)	-	-
Voltage (V)	-	-
Weight (KG)	-	-



HL-1200T HL-1500T Worktable

Worktable

Model	HL-1200T	HL-1500T
Dimension (MM)	1200x760x800	1500x760x800
Package size (CM)	124x80x82	154x80x82
Temperature (°C)	-	-
Power (KW)	-	-
Voltage (V)	-	-
Weight (KG)	-	-



HL-800 HL-1000 Breeding Table

Breeding Table

Model	HL-800	HL-1000
Dimension (MM)	800x650x950	1000x650x950
Package size (CM)	82x70x30	102x70x30
Temperature (°C)	-	-
Power (KW)	-	-
Voltage (V)	-	-
Weight (KG)	14	17



HL-1200G HL-1500G Worktable

Worktable with cup dispenser

Model	HL-1200G	HL-1500G
Dimension (MM)	1200x760x800	1500x760x800
Package size (CM)	124x80x82	154x80x82
Temperature (°C)	-	-
Power (KW)	-	-
Voltage (V)	-	-
Weight (KG)	40	47



HL-1800G Worktable

Worktable with cup dispenser

Model	HL-1800G
Dimension (MM)	1800x760x800
Package size (CM)	184x80x82
Temperature (°C)	-
Power (KW)	-
Voltage (V)	-
Weight (KG)	-



HL-1800C Worktable

Worktable with Cup Dispenser and Ice Storage

Model	HL-1800C
Dimension (MM)	1800x760x800
Package size (CM)	184x80x82
Temperature (°C)	-
Power (KW)	-
Voltage (V)	-
Weight (KG)	-